Act as well as Hindi correspondence are as under:—

Position of Section 3 (3)	
Quarter ending	%
June, 1990	99
September, 90	96
December, 90	86
March, 91	98
Position of orginating Correspondence in Hindi	
Quarter ending	%
June, 1990	62
September, 90	66
December, 90	57
March, 91	60

Non-publication of 'Rail Rajbhasha journal by Railway

1742. SHRI ANANT RAM JAISWAL. Will the Minister of RAILWAYS be pleased to state:

(a) whehter it is a fact that a quarterly journal titled 'RAIL RAJBHASHA' is brought out by the Ministry with a view to propagate Hindi on the Railways;

ib) vhether it is also a fact that despite having separate officers/staff for bringing out this journal, Government have failed to bring out even a single issue of it during the last three years;

(c) if so, the reasons therefor;

(d) what action has been taken or proposed to be taken against the defaul ters; and

(e) what steps have been taken or proposed to be taken to bring out this journal regularly?

THE MINISTER OF STATE IN THE MINISTRY OF RAILWAYS (SHRI MALLIKARJUN): (a) Yes, Sir.

(b) No, Sir.

(c) to (e) Does not arise.

Water supply in Rohini

1743. SHRI ANANT RAM JAISWAL: Will the Minister of URBAN DEVELOPMENT be pleased to state:

(a) whether residents of Prashant Vihar, DDA Colony, Sector 14, Rohini are still awaiting supply of MCD water from the main feeder, if so, what are the reasons for the delay and by when the supply is likely to commence; and

(b) whether any representation has been received from the residents through their Residents Welfare Association for augmentation of water supply, if so, what action has been taken or is proposed to be taken in the matter?

THE MINISTER OF STATE IN THE MINISTRY OF URBAN DEVELOPMENT (SHRI M. ARUNACHALAM): (a) DDA has reported that residents of Prashant Vihar are already having supply from M.C.D, water mains. MCD reports that about 2888 kilolitres per day of water is being released for this colony for which two bulk water connections of 50 mm dia ferrule size have been sanctioned. M.C.D. has also reported that water supply to Rohini Complex will be augmented from the second 100 MOD Water Treatment Plant under construction at Haiderpur. For the allocation of raw water required for this Plant, matter has been taken up with the Government of Haryana and their firm response is awaited.

(b) Yes, Sir. The issue was discussed with the Residents Welfare Association and they have been apprised of the situation.

Ring railway service in Delhi

1744. SHRI CHATURANAN MISHRA: Will the Minister of RAILWAYS be pleased to state the year in which the work relating to ring railway service (digging etc.) from Safdarjung to Naraina Railway Station was started and number of years in which this work was completed?

THE MINISTER OF STATE IN THE MINISTRY OF RAILWAYS (SHRI MALLIKARJUN): Construction of